AGENDA

Marion Soil and Water Conservation District (MSWCD)

Regular Board Meeting

2710 East Silver Springs Boulevard

Ocala, FL 34470

December 11, 2023

9:30 AM

PLEASE NOTE: Individuals wishing to address the Board will need to sign in. A three-minute time limit will be administered to each of these individuals. PLEASE MUTE ALL PHONES. This agenda acts as a guidance for the structure of the meeting. Thank you.

I. Call to Order

- Roll Call
- Proof of Publication

II. NRCS Report

III. FDACS Report

- Cost Share
 - John W Graham Sumter \$22,561.35 Granular Nutrient Applicator
 - Frogmore Ranch, LLC (Shannon Miltner) Pasco \$ 37,563.75 No Till Drill
 - Warren McGehee Alachua \$36,774.00 Precision Nitrogen Applicator
 - Jason Garrett Pasco \$36,000.00 No Till Drill
 - Jason Gore Gilchrist \$33,375.00 Precision Nitrogen Applicator with Topcon GPS
- Technician

IV. Staff Report & Recap

- Conservation Summit (Recap)
- Career Fair (Recap)
- Insurance
- Miscellaneous

V. CONSENT AGENDA

- i. MSWCD Board Minutes
- ii. MSWCD Board Financial Report

VI. Finances (Recap)

- Ameris CD
- 501C 3

VII. 2024

- Meeting (Day/Time)
- Next month
 - Review plans
 - Elect officers/committees

VIII. Upcoming Events

- FCDEA Monthly Meeting December 19
- Poster, Found Art, Essay & Speech Deadline December 21
- Office Closed December 25
- Records Management Due December 29
- Office Closed January 1
- AFCD Quarterly Meeting January 5

- SpringsFest Meeting January 5
- MSWCD Monthly Meeting January 8
- Office Closed January 15

IX. General Public Comments

X. Supervisor Comments

XI. Meeting Adjournment

- Our next meeting is January 8, 2023 at 9:30 AM in the Growth Services Building, unless determined otherwise during the meeting.

MSWCD's regular meetings are held at 9:30 AM on the 2nd Monday of each month, and their workshops are held the 4th Monday of each month at 9:30 AM, tentatively. Both meetings are located in Growth Services, located at 2710 E. Silver Springs, Ocala, FL 34470. For more information, call (352) 438-2475.